Appendix D - Overview of allied health care in 14 Dutch HNC centers: Availability of AHPs, rehabilitation interventions and clinimetrics

Availability healthcare professional	Clinimetrics and interventions	Centers													
Allied health professional (% of centers)		Α	В	С	D	E	F	G	Н	I	J	К	L	М	N
Speech language therapist (100)		Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
Interventions	Swallowing rehabilitation	Α	Α	Α	Α	R	Α	А	R	Α	Α	А	R	R	Α
	Voice rehabilitation	Α	R	R	Α	R	Α	Α	R	Α	Α	R	R	R	R
	Speech and articulation rehabilitation	Α	R	Α	Α	R	Α	А	R	Α	R	R	R	R	R
	Speech rehabilitation after TLE	Α	Α	А	А		Α	Α	R	Α	Α	А	Α	Α	R
	Trismus therapy	Г	Α	R	Α	R	Α	Α					R	R	
	Olfactory rehabilitation after TLE	Α	А	R	Α		Α	А		R	R	Α	R	Α	R
	Mime therapy	R		R	R	R		Α		R	R		R	R	R
Clinimetrics	Swallowing video / FEES	I	1	1	1	ı	I	А	I	1	ı	Α	1	I	I
	MMO			ı	ı	I		А		Α		Α	ı	I	
	FOIS	Α	T	Α	Α	Α	А	Α	I	Α	ı		ı	Α	Α
	Swal-QoL	Г	ı	ı	ı		ı	А			ı			Α	Α
	MDADI		ı		ı		I	А						R I I A A I I M	
	EAT-10		I			I	I		Α						
	VHI	I	Α	ı	ı	Α		Α	ı	ı	I		I	Α	Α
	SHI				ı	ı		Α		ı	I		I	I	
_	SOAL							Α							
Allied health professional (% of centers)		Α	В	С	D	E	F	G	Н	I	J	К	L	М	N
Dietitian (93)		Х	Х		Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
Interventions	Monitoring weight	Α	Α		Α	Α	Α	Α	Α	Α	Α	Α	Α	R	Α
	Monitoring intake	Α	Α		Р	Α	Α	Α	Α	Α	Α	Α	Α	R	Α
	Advice on nutritional supplements	Α	R		Α	Α	Α	Α	Α	Α	Α	Α	Α	R	Α
	Nutritional advice in general	Α	А		Р	Α	А	а	А	А	А	А	А	R	Α
	Nutritional advice during a physical program						R	R							

Clinimetrics	Pinch strength test	I	Α				1	I	Α	Α	I			Α	
	SNAQ					Α	Α	А			I				Α
	BMI	Α	Α			Α	А	А	Α	Α	Α	Α	Α	Α	Α
	BIS		1				I	I	Α	1				Α	
	PG-SGA							ı							
Allied health professional (% of centers)		Α	В	С	D	E	F	G	Н	I	J	K	L	М	N
Physiotherapist (86)		X	X		X	X	X	X		X	X	X	X	X	X
Interventions	Improving physical condition	Α	R		Α			Α			Α	R	R	R	R
	Muscle strength training	Α	R		Α			Α			Α	R	R	R	Α
	Trismus therapy				R					Α		R		R	Α
	Shoulder and neck exercise training	Α	R		Α			Α		Α	Α	Α	Α	Α	Α
	Lymphedema therapy	R			R			Α		А		R	R		R
Clinimetrics	6MWT				1			I		Α	I		ı	I	
	Steep ram test				ı			Α			ı		Α	ı	
	SPADI				I			I		Α	Α	I			I
	AROM	Α	Α		ı			I		Α	А	Α	Α	А	Α
	MFI				I			Α		1	1				
	PSC				1			Α			1	I	Α		I
	Borg RPE-scale	I			I			Α			А		Α		Α
	Maximal exercise test with ECG and breath gas analysis				I			I							
Allied health professional (% of centers)		Α	В	С	D	E	F	G	Н	I	J	K	L	М	N
Medical social worker (57)		Х			Х		Х	X			Х	X	X	Х	
Interventions	PE coping with cancer disease	R			R		R	R			R	Α	А	R	
	PE partner/loves ones	R			R		R	R			R	Α	А	R	
	Resumption of work	R			R		R	R			R	R	Α	R	
	Mindfulness							R					Α	R	
	Cognitive behavioral therapy				R			R			R		Α	R	
Clinimetrics	Distress thermometer						Α	А			Α			A A A M X R R R R R R R R R	
	HADS						I	Α						I	
	CED-D						1								

	Α	В	С	D	E	F	G	Н	I	J	К	L	М	N
	Х		Х	X	X	X	X				X			
PE coping with cancer disease	R		R	R	R	Α	R				R			
PE partner/loved ones			R	R	R	Р	R				R			
Psychological decompensation	R		R	R	R	R					R			
Cognitive behavioral therapy	R		R	R	R	R	R				R			
Psychological diagnostics	R		R	R	R	R	R				R			
EMDR	R		R	R	R	R	R				R			
UCL	I		1		I		Α				1		M	
HADS	1		1			1	Α				1			
CES-D			1		1	1					1			
SCL-90	I		1		1		Α							
	Α	В	С	D	E	F	G	Н	I	J	К	L	М	N
	Х		Х	X			Х		Х					
PE coping with cancer disease	R		R				R							
PE partner/loved ones	R		R	R			R		R					
Psychological decompensation/medication	Α		Α	Α			Α		R					
Cognitive behavioral therapy									R R I I I I I I I I I I I I I I I I I I					
Psychiatric diagnostics	R		Α	Α			R		R	R R I I I I I I I I I I I I I I I I I I				
Drug rehabilitation	R		Α	Α			R							
UCL														
HADS													M	
CED-D														
SCL-90			I											
	Α	В	С	D	E	F	G	Н	I	J	К	L	М	N
							X		X		Х			
PE on sleep							Α		R					
PE on fatigue/energy coaching							Α		R					
							Α			<u> </u>				—
	PE partner/loved ones Psychological decompensation Cognitive behavioral therapy Psychological diagnostics EMDR UCL HADS CES-D SCL-90 PE coping with cancer disease PE partner/loved ones Psychological decompensation/medication Cognitive behavioral therapy Psychiatric diagnostics Drug rehabilitation UCL HADS CED-D SCL-90 PE on sleep	PE coping with cancer disease R PE partner/loved ones Psychological decompensation R Cognitive behavioral therapy R Psychological diagnostics R EMDR R UCL I HADS I CES-D SCL-90 I PE coping with cancer disease R PE partner/loved ones R Psychological decompensation/medication Cognitive behavioral therapy Psychiatric diagnostics R Drug rehabilitation R UCL HADS CED-D SCL-90 A PE on sleep	PE coping with cancer disease R PE partner/loved ones Psychological decompensation R Cognitive behavioral therapy R Psychological diagnostics R EMDR R UCL I HADS I CES-D SCL-90 I PE coping with cancer disease R PE partner/loved ones R Psychological decompensation/medication Cognitive behavioral therapy Psychiatric diagnostics R Drug rehabilitation R UCL HADS CED-D SCL-90 A B PE on sleep	PE coping with cancer disease R R R PE partner/loved ones R Psychological decompensation R R Psychological diagnostics R R EMDR R R UCL I I I HADS I I I CES-D I I SCL-90 I I PE coping with cancer disease R R PE partner/loved ones R R PE partner/loved ones R R PSychological decompensation R R A B C X X X PE coping with cancer disease R R PE partner/loved ones R R Psychological decompensation/medication Cognitive behavioral therapy Psychiatric diagnostics R A Drug rehabilitation R A UCL HADS CED-D SCL-90 I I A B C	PE coping with cancer disease R R R R R Psychological decompensation R R R R R R R R R R R R R R R R R R R	PE coping with cancer disease R R R R R R PSychological decompensation R R R R R R R R R PSychological diagnostics R R R R R R R R R R R R R R R R R R R	PE coping with cancer disease R R R R R R P Psychological decompensation R R R R R R R Psychological diagnostics R R R R R R EMDR R R R R R R UCL I I I I I I CES-D I I I I I SCL-90 I I I I I PE coping with cancer disease R R R R R PE partner/loved ones R R R R R Psychological diagnostics R R R R R R R Psychological diagnostics R R R R R R R R CES-D R R R R R R R R Psychological diagnostics R R R R R R Psychological diagnostics R R R R R R PE coping with cancer disease R R R R Psychological decompensation/medication Cognitive behavioral therapy R R R R R Psychiatric diagnostics R A A A R Drug rehabilitation R A A A R PE Drug rehabilitation R R A A A R PE Drug rehabilitation R R A A A R PE Drug rehabilitation R R A B C D E F PSCL-90 R R R R R PE Drug rehabilitation R R A A A R PE Drug rehabilitation R R A B C D E F	X	X	X	No. No.	No. No.	No. No.	No. No.

	Resumption of work							Α		R					1
	Arm-hand function training							Α				R			
	Cognitive rehabilitation							Α				R			
	Training of ADL							Α		R		R			
Clinimetrics	СОРМ							Α		I					
	USER-P									ı					
	IPA														
	PSC							Α							
	MFI							Α							
Allied health professional (% of centers)		Α	В	С	D	E	F	G	Н	I	J	К	L	М	N
Art therapist (14)		х						х							
Interventions	Art therapy	R						R							
	Reactivating daily activity	R													
	Inventory patient's medical queries	R						Α							
	Other														
Clinimetrics	HADS							Α							
	CES-D														

Legends:

means the healthcare professional is available in HNC rehabilitation; empty cells indicate unavailability.

means interventions and clinimetrics are applied either as standard care or according to protocol or guideline.

means interventions and clinimetrics are applied indicated by needs assessment.

means interventions and clinimetrics are applied by referral.

An empty or white cell reflects not known or not applicable.

Abbreviations: 6 MWT, 6 minutes walking test; ADL, activities of daily living; AROM, active range of motion; Borg RPE-scale, borg rating of perceived exertion; BMI, body mass index; BIS, bio-electric impedance spectroscopy; CES-D, center or epidemiological studies depression scale; COPM, Canadian Occupational Performance Measure; EAT-10, Eating Assessment Tool; ECG, electrocardiogram; FEES, flexible endoscopic evaluation of swallowing; FOIS, functional oral intake scale; HADS, hospital anxiety depression scale; IPA, impact of participation and autonomy; MDADI, MD Anderson dysphagia inventory; MMO, maximal mouth opening; MFI, multidimensional fatigue index; PE, psycho-education; PG-SGA, patient-generated subjective global assessment; PSC, patient specific complaints; SCL-90, symptom checklist-90; SHI, speech handicap index; SLP, speech-language pathologist; SNAQ, short nutritional assessment questionnaire; SOAL, swallowing outcomes after laryngectomy; Swal-QoI, swallowing quality of life; SPASI, shoulder pain and disability index; TLE, total laryngectomy; UCL, Utrecht coping list; USER-P, Utrecht scale for evaluation of rehabilitation-participation; VHI, voice handicap index.